

CATALOGO GENERALE

CATALOGO GENERALE

GENERAL CATALOGUE

GENERAL CATALOGUE

CATALOGO GENERALE

GENERAL CATALOGUE

GENERAL

**TYRE
CHANGERS**



**WHEEL
BALANCERS**



**WHEEL
ALIGNMENT**



**PROADAS
TECHNOLOGY**



LIFTS



**TESTING
EQUIPMENT**



MISCELLANEOUS



AUTOMOTIVE SERVICE EQUIPMENT



AUTOMOTIVE SERVICE EQUIPMENT



GP 20 ATV BIKE

AS 905



AS 922



AS 924
AS 924A



AS 933



AS 934

AS 943



AS 944



AS 946



AQUILA
TWISTER




AQUILA



GP 20 ATV	5"-23"	-	-	1000 mm	0,75 Hp 1 ph 0,55 Hp 3 ph	-	10 bar	-
AS 905	13"-25"	11"-22"	12"	980 mm	0,55 kW	8,5 rpm	10 bar	320 mm
AS 922	13"-25"	10"-22"	12,5"	1000 mm	0,75 kW	8,5 rpm	8-10 bar	320 mm
AS 924 - AS 924A	13"-26"	10"-24"	14"	1100 mm	0,75 kW	8 rpm 13 rpm (2V)	8-10 bar	370 mm
AS 933 - AS 933 TI	13"-23"	10"-20"	12"	1040 mm	0,75 kW	8 rpm 6-15 rpm (2V)	10 bar	320 mm
AS 934 - AS 934 TI	13"-23"	10"-20"	12"	1040 mm	0,75 kW	8 rpm 6-15 rpm (2V)	10 bar	320 mm
AS 943 - AS 943 TI	13"-25"	10"-22"	14"	1040 mm	0,75 kW	8 rpm 6-15 rpm (2V)	10 bar	410 mm
AS 944 - AS 944 TI	13"-26"	10"-24"	14"	1040 mm	0,75 kW	8 rpm 6-15 rpm (2V)	10 bar	410 mm
AS 946 - AS 946 TI	13"-28"	10"-26"	14"	1060 mm	0,75 kW	8 rpm 6-15 rpm (2V)	10 bar	410 mm
AQUILA TWISTER	13"-26"	10"-24"	15"	1035 mm	0,75 kW	8 rpm 6-15 rpm (2V)	8-10 bar	410 mm



RPX



NEW SUPER RM



SUPER RM 2
EAGLE



SRM 300



SUPER RM MINI

AQUILA



AS 944 LL	13"-26"	10"-24"	14"	1040 mm	0,75 kW	8 rpm 6-15 rpm (2V)	10 bar	410 mm
RAPTOR	12"-28"	-	15"	42"- 1080 mm	0,75 kW	6-15 rpm (2V)	10 bar	-
AUDAX - AUDAX M	12"-30"	-	16"	47"- 1200 mm	0,75 kW	7-18 rpm (2V)	10 bar	-
RAPAX	13"-28"	-	15"	47"- 1200 mm	0,75 kW	7-18 rpm (2V)	8-10 bar	-
TORNADO	13"-32"	-	16"	47"- 1200 mm	0,8 kW	7-18 rpm (2V)	10 bar	-



MOBILE SERVICE
AUDAX M



AS 944 LL



AUDAX



RAPTOR



RAPAX



TORNADO

WITHOUT LEVER



www.facebook.com/MONDOLFOFERROofficial



<http://www.youtube.com/user/MondolfoFerro>

NEXION SPA
info@mondolfoferro.it
www.mondolfoferro.it





TB 120



TB 125



TB 128



TBE 155



TBE 155 S



TBE 156

PRO



TBE 160 MATIC **WITHOUT LEVER**
& TBE 160 TERRA



TBE 60 TERRA



TB 120	14"-26"	695 mm	1400 mm	700 kg	14000 N
TB 125	14"-26"	780 mm	1600 mm	700 kg	17000 N
TB 128 N - DELUXE - SUPER	14"-26"	780 mm	1500 mm	700 kg	20000 N
TBE 155	14"-56"	1065 mm	2300 mm	1000 kg	27000 N
TBE 155 S	14"-56"	1300 mm	2200 mm	1700 kg	29000 N
TBE 156 PRO N - DELUXE - SUPER	14"-56"	1220 mm	2450 mm	1700 kg	30000 N
TBE 160 MATIC WITHOUT LEVER	14"-60"	1600 mm	2700 mm	2000 kg	37000 N
TBE 160 TERRA	14"-60"	1600 mm	2700 mm	2000 kg	37000 N
TBE 60 TERRA	14"-60"	1800 mm	3000 mm	3000 kg	45000 N
TB 123 MOBILE	13"-26"	520-960 mm	1380 mm	350 kg	13000 N
TB 124 MOBILE	14"-26"	520-960 mm	1350 mm	500 kg	16000 N

MOBILE SERVICE



TB123 MOBILE



TB124 MOBILE





MT 3100UP - MT 3200UP
MT 3200UP PLUS - MT 3200UP C PLUS
EASY ALU



MT 3600UP - MT 3600UP C
EASY ALU



MT 3350UP - MT 3350UP C
LASER



MT 3650UP - MT 3650UP C
LASER



MT 3500UP
MT 3500UP C
LASER & SONAR



MT 3800UP
MT 3800UP C
LASER & SONAR
*Touchscreen version available



MT 3900UP C



MT 4000UP C
DIAGNOSTIC



MT 3000 VAN	1gr - 1/10oz	10"-28"	1,5"-20"	1118 mm	85 kg
MT 3100UP - MT 3200UP - MT 3600UP	1gr - 1/10oz	10"-28"	1,5"-20"	1118 mm	85 kg
MT 3350UP - MT 3650UP	1gr - 1/10oz	10"-28"	1,5"-20"	1118 mm	85 kg
MT 3500UP - MT 3800UP	1gr - 1/10oz	10"-28"	1,5"-20"	1118 mm	85 kg
MT 3900UP - MT 4000UP	1gr - 1/10oz	10"-32"	1,5"-20"	1118 mm	85 kg

TOUCHSCREEN
& CONTACTLESS

MT 3000 VAN
MOBILE SERVICE



www.facebook.com/MONDOLFOFERROofficial



<http://www.youtube.com/user/MondolfoFerro>

NEXION SPA
info@mondolfoferro.it
www.mondolfoferro.it





MT 6310
TRUCK



MT 6350
TRUCK



MT 2450
TRUCK



MT 2650
TRUCK



FBM 38 COMBI
CAR & TRUCK



TRUCK
1300 kg

TBP



CAR
700 kg

PCP



WL R
MANUAL



WL Ø
AUTOMATIC

CAR

MT 6350 TRUCK	1gr - 1/10oz	8"-28" CAR & TRUCK	1,5"-25" CAR & TRUCK	1320 mm	150 kg
MT 6310 TRUCK	5gr - 1/4 oz	10"-30" CAR & TRUCK	1,5"-20" CAR & TRUCK	1320 mm	250 kg
FBM 38 COMBI	1gr - 1/10oz	-	-	-	-
MT 2450	1gr - 1/10oz	7"-30" car 12"-30" truck	1,5"-22" car 4"-22" truck	1220 mm	300 kg
MT 2650	1gr - 1/10oz	7"-30" car 12"-30" truck	1,5"-22" car 4"-22" truck	1220 mm	200 kg





TRIGON 648 PRO

TRIGON 728 PLATINUM S

TRIGON 725 PRO
TRIGON 725 PRO TRUCK

TRIGON 4 VISION
PLATINUM

TRIGON
SUPER NOVO

TRIGON NOVO

VERSION:

NOVO
CM W

TRIGON 648 PRO SMART

Portable version available

Portable version available



NEXREMOTE

TRIGON



	✓	✓	✓	✓	0,01°	60.000 Vehicles	19"-27"
648 PRO	✓	✓	✓		0,01°	60.000 Vehicles	19"-27"
648 PRO SMART	✓	✓	✓		0,01°	60.000 Vehicles	19"-27"
725 PRO	✓	✓	✓		0,01°	60.000 Vehicles	19"-27"
728 PLATINUM S	✓	✓	✓		0,01°	60.000 Vehicles	19"-27"
NOVO		✓		✓	0,01°	60.000 Vehicles	19"-27"
SUPER NOVO		✓		✓	0,01°	60.000 Vehicles	19"-32"
4 VISION PLATINUM		✓		✓	0,01°	60.000 Vehicles	19"-27"



*OPTIONAL



TROLLEY*

COMPATIBLE WITH
TRIGON NOVO AND TRIGON
SUPER NOVO



www.facebook.com/MONDOLFOFERROofficial



<http://www.youtube.com/user/MondolfoFerro>

NEXION SPA
info@mondolfoferro.it
www.mondolfoferro.it





PRE-CHECK

QUICKVISION 3.5



■ *Tecnologia Contactless*


■ **SMART REMOTE KIT**



OPTIONAL

Available with:

- **LAUNCHER**
- **LAUNCHER & AUTO QR**



iPROFILE READER



www.facebook.com/MONDOLFOFERROofficial



<http://www.youtube.com/user/MondolfoFerro>

NEXION SPA
info@mondolfoferro.it
www.mondolfoferro.it




PROADAS RS



Soluzione indipendente per calibrare sensori ADAS frontali: telecamera, radar e Lidar.

Independent solution to calibrate frontal ADAS sensors: camera, radar and Lidar.


PROADAS START



Soluzione indipendente per calibrare sensori ADAS frontali: telecamera, radar e Lidar.

Independent solution to calibrate frontal ADAS sensors: camera, radar and Lidar.

PROADAS TS




Soluzione compatibile con assetto TRIGON 728*/725*/648 per calibrare sensori ADAS frontali: telecamera, radar e Lidar.

Solution compatible with TRIGON 728*/725*/648 wheel aligners to calibrate frontal ADAS sensors: camera, radar and Lidar.

*Produzione / production : 01.2016

PROADAS TS-3D



Soluzione compatibile con assetto 3D TRIGON Super Novo per calibrare sensori ADAS frontali: telecamera, radar e Lidar.

TRIGON Super Novo 3D wheel alignment compatible solution to calibrate frontal ADAS sensors: camera, radar and Lidar.

SCE 300



Soluzione indipendente per calibrare sensori ADAS Radar frontali e BSD presenti nei veicoli dei seguenti marchi: Honda, Mazda, Toyota, Subaru e Kia-Hyundai.

Independent solution to calibrate front and BSD ADAS Radar sensors present in vehicles of the following brands: Honda, Mazda, Toyota, Subaru and Kia-Hyundai.

SCE 700



Soluzione indipendente per calibrare sensori ADAS: telecamera posteriore, telecamera 360° e sensori BSD presenti nei veicoli del gruppo VAG.

Independent solution to calibrate ADAS sensors: rear view camera, 360° camera and BSD sensors inside the vehicles of the VAG group.

Modello Model	Modalità lavoro Way of working	Tecnologia Technology									
Proadas RS			✓	✓	✓ OPTIONAL	✓			✓		✓
Proadas START			✓			✓			✓		✓
Proadas TS			✓			✓			✓		✓
Proadas TS-3D			✓			✓			✓		✓
SCE 300			✓						✓	✓	
SCE 700			✓				✓	✓		✓	

Proadas RS	Proadas START	SCE 300	SCE 700	Con assetto 3D 3D wheel aligners	Con assetto CCD CCD wheel aligners	Telecamera 3D 3D camera	Testine CCD CCD sensors heads	Puntatore Laser Laser pointers	Controllo pos. tempo reale Real time positining control
Precheck assetto Precheck wheel alignment	Manutenzione assetto Wheel alignment service	Telecamera frontale Front camera	Telecamera posteriore Rear camera	Telecamera 360° 360° camera	Radar frontale Front radar	Radar BSD BSD radar	LIDAR frontale Front LIDAR		



2 COLUMN



P 235



P 232N - P 232N BC - P 232N EC
P 240N EC - P 240 EX - P 250 EC



P 230 BC



SERIES PI 232

ELECTRO MECHANICAL

TITAN



P 235	3500 kg	90 mm	1945 mm	2500 mm
P 230 BC	3000 kg	99 mm	1945 mm	2560 mm
P 232N - P 232N BC	3200 kg	120 mm	1950 mm	2570 mm
P 232N EC	3200 kg	85 mm	1915 mm	2570 mm
P 240N EC	4000 kg	85 mm	1925 mm	2755 mm
P 240 EX	4000 kg	70 mm	1890 mm	2700 mm
P 250 EC	5000 kg	105 mm	2005 mm	2800 mm
PI 232	3200 kg	99 mm	1980 mm	2600 mm
PI 232 BC	3200 kg	99 mm	2030 mm	2600 mm
PI 240 N	4000 kg	80 mm	1940 mm	2680 mm
PI 240 E	4000 kg	100 mm	1930 mm	2680 mm
PI 255 VXL	5500 kg	100/255 mm	2055 mm	3100 mm
PI 250	5000 kg	95 mm	2050 mm	3100 mm



SERIES PI 250



SERIES PI 240 N & SERIES PI 240 E



PI 255 VXL

ELECTRO HYDRAULIC





X 1300 - X 1350



X 3000 - X 3500 - X 4000




X 2035 T - X 2040 T

TITAN



X 1300	3000 kg	970 mm	110 mm	2050 - 2100 mm
X 1350	3500 kg	970 mm	110 mm	2050 - 2100 mm
X 2035 T	3200 kg	2000 mm	250 mm	2110 mm
X 2040 T	4000 kg	2000 mm	250 mm	2110 mm
X 3000	3000 kg	1900-2000 mm	115 mm	1550-2240 mm
X 3500	3500 kg	1900-2000 mm	115 mm	1550-2240 mm
X 4000	4000 kg	1900-2000 mm	115 mm	1550-2240 mm
X 571 - X 573	5000 kg	2105 mm	255 mm	5200 mm
SL 25	2500 kg	500 mm	115 mm	1360 mm



SL 25

CRICK MC



MC 002

2 t

MC 118

16 t

MC 240
MC 240 P

28 t

MC 330

60 t


MC 440

40 t





4 COLUMN



SERIES PI 441 - PI 443 - PI 451 - PI 453



SERIES X 593 T - X 693 T

TITAN



PI 441 B	4000 kg	1960 mm	126 mm	4870 mm
PI 443 B	4000 kg	1960 mm	126 mm	4870 mm
PI 443 W BL	4000 kg	1960 mm	180 mm	5100 mm
PI 451 W	5000 kg	1960 mm	180 mm	5100 mm
PI 453 W	5000 kg	1960 mm	180 mm	5100 mm
PI 453 LT	5000 kg	1960 mm	180 mm	5205 mm

SERIES X 571 - X 573 - X 461 - X 463



TITAN



X 593 T	5000 kg	2020 mm	180 mm	5200 mm
X 693 T	6500 kg	2180 mm	280 mm	5400 mm
X 571 - X 573	5000 kg	2105 mm	255 mm	5200 mm
X 461 - X 463	4300 kg	2090 mm	240 mm	4650 mm




7.5 t
MAX
5.5 t
MAX
TRUCK




ZEUS




4 colonne / 4-column set
ZEUS -4



6 colonne / 6-column set
ZEUS -4 + ZEUS -2



8 colonne / 8-column set
ZEUS -4 + ZEUS -4



MAGNUM	10 ÷ 40 t	1900 mm	210 mm	5800 ÷ 18750 mm
M 600	600 kg	1200 mm	155 mm	2260 mm


BIKE



M600



TRUCK





SERIES MAGNUM





Sollevatori Interrati • In-ground Lifts



CYLINDER
DIAMETER



TITAN IL 3500.2	3500 kg	2015 mm	2 x 123 mm	30 sec
TITAN P 35.2 IL	3500 kg	2020 - 2085 mm	2 x 123 mm	30 sec
PIDC 55.2	5500 kg	1955 - 2055 mm	2 x 213 mm	45 sec



www.facebook.com/MONDOLFOFERROofficial



<http://www.youtube.com/user/MondolfoFerro>

NEXION SPA
info@mondolfoferro.it
www.mondolfoferro.it



AUTOMOTIVE SERVICE

MCTC Net2

OPA 820 - 840

Strumento per la misura dell'opacità dei motori Diesel sugli autoveicoli e veicoli industriali
Opacimeter for diesel engines in passenger car and industrial vehicles.

GAS 810 - 830

Analizzatore gas di scarico per motori a benzina, metano e GPL
Exhaust gas analyser for petrol, methane and LPG engines.



23*34*22,5 mm

MCTC Net2

NT CAM/M

Sistema di riconoscimento automatico targa
Automatic LICENSE PLATE recognition system

PFT - CAM

MCTC Net2

Only for Italian Market

Centrafari a Telecamera
Camera Headlight tester




Banco prova freni a rulli universale a carreggiata maggiorata
Universal car brake tester complete with roller bench and increased track

2440 mm





0-6 kN



BRM 4.8W MCTC	2*4,8 kW	3000 kg	5 km/h
BRM S BOX	2*4,0 kW	2500 kg	5 km/h
DINA BRAKE-COMBI	1,5 kW	2500 kg	7/10 km/h

PD 25-45

Prova giochi idraulico



BRM 4.8W MCTC

MCTC Net2

Only for Italian Market



0-6 kN



17" - 19"

Banco prova freni a piastre universale
Universal plate brake tester



0-6 kN

MCTC Net2

DINA BRAKE-COMBI



www.facebook.com/MONDOLFOFERROofficial



<http://www.youtube.com/user/MondolfoFerro>

NEXION SPA
info@mondolfoferro.it
www.mondolfoferro.it





VORTEX 850



12"-33"



6"-14"



1475*1015*1305 mm



65 kg



8 - 10 bar

PARTNER70



TPM-02



IMPACT WRENCHES / AVVITATORI



AV 100

FOR CARS, VANS, SUV
AND MOTORCYCLES



AV 150

FOR EARTH MOVEMENT
AND FARMING VEHICLES



AV 201

FOR TRUCKS AND BUSES

NITRONIC

300	3 Nm³/h	1330*600*650 mm	85 kg	8 - 10 bar
500	5 Nm³/h	1330*600*650 mm	87 kg	8 - 10 bar
1800	18 Nm³/h	1430*700*650 mm	52 kg	10 - 12 bar



AIR CONDITIONING RECHARGE / RICARICA ARIA CONDIZIONATA

A/C 1100

R-134A

A/C 1105

R-1234yf

A/C 1600

R-134A

A/C 1605

R-1234yf

Completamente automatica
Completely automatic



Gestione veicoli ibridi / Management of hybrid vehicles - Recupero Refrigerante / Refrigerant recovery

INFLATION CAGE / GABBIE DI GONFIAGGIO



TBR ALCATRAZ



TBR 1100



OTR 2000



MAXI SAFE

	TBR ALCATRAZ	TBR 1100	OTR 2000	MAXI SAFE
	550 mm 21,6"	600 mm 23,6"	850 mm 33,5"	1200 mm 47,2"
	1150 mm 45,3"	1300 mm 51,2"	1850 mm 72,8"	2200 mm 86,6"



www.facebook.com/MONDOLFOFERROofficial



<http://www.youtube.com/user/MondolfoFerro>

NEXION SPA
info@mondolfoferro.it
www.mondolfoferro.it





VULCANIZZATORI - VULCANIZERS




VASCHE PROVA CAMERE D'ARIA E TUBELESS - TANKS FOR TYRE TEST

MT18

MT24S

	820 mm	1350 mm
	340 mm	500 mm
	1100*1100*1900 mm	1500*1500*1900 mm
	100 kg	280 kg



ISPEZIONATRICE - SPREADERS

MIP 900



10" ± 17,5"
700*570*1100 mm
105 kg





MONDOLFO



Sin dal 1963, anno di fondazione della nostra Azienda, abbiamo affidato all'immagine di un'aquila con le ali spiegate, il compito di rappresentare lo spirito più autentico e profondo della nostra filosofia imprenditoriale.

Oggi sappiamo di non esserci sbagliati.

Come l'aquila abbiamo volato molto in alto, forse più delle nostre stesse aspettative. E questo grazie ad un incessante lavoro di perfezionamento tecnologico e professionale sempre accompagnato da una tenace volontà di innovazione.

Siamo altrettanto consapevoli che non saremmo mai arrivati tanto in alto senza il sostegno e la fiducia di tutti i nostri clienti e dei nostri partner che sentiamo particolarmente vicini.

Anche loro, come noi, (ognuno a proprio modo), hanno inseguito e realizzato un grande sogno "a quattro ruote".



www.facebook.com/MONDOLFOFERROofficial



<http://www.youtube.com/user/MondolfoFerro>

AUTOMOTIVE SERVICE EQUIPMENT



Since 1963, the year in which our company was founded, we have used a spread eagle to represent the essence of our corporate philosophy.

Now we know that we made the right choice.

Just like the eagle, we too have soared to great heights, perhaps even surpassing our own expectations, thanks to our ongoing technological and professional perfection, inextricably matched with a determined desire for innovation.

We are just as aware that we could never have come so far without the support and trust of all our customers and partners, to whom we feel especially close.

They too, like us, (each in their own way), have followed and realized a great "four-wheel" dream.

DPVFO00272N - 01/2022

NEXION SPA

info@mondolfoferro.it

www.mondolfoferro.it

