



Gaither
PROFESSIONAL EQUIPMENT

GAITHER EUROPE **CATALOG** 2027

BEAD BAZOOKAS

The most powerful tire bead seating tools in the world

HEAVY DUTY GT JACKS

Electro- and air-hydraulic jacks for mobile service and workshop use

DEDICATED TIRE CHANGING TOOLS

Smarter tire changing, from manual tools to semi-automatic machines



WARNING
NEVER ALLOW THE
NOZZLE TO POINT IN
THE DIRECTION OF
A PERSON



INSTRUCTIONS
READ CAREFULLY BEFORE USE

GAITHEREUROPE.COM

GAITHER'S 2ND GENERATION BEAD BAZOOKA®

The Bead Bazooka® remains the benchmark in bead seating technology. Trusted for years by professionals worldwide, it combines unmatched power with a compact, user-friendly design, making it the go-to solution for seating tire beads.



Volvo Garage Bluekens (NL)



President Wheels (CA)



@rowdyrestaurations (USA)

GAITHER'S BEAD BAZOOKA® V2

BB03L2 


- Volume: 3L
- Max. pressure: 145 PSI / 10 bar
- Dimensions: 584 x 152 x 305 mm
- Net Weight: 6.3 kg



GAITHER'S BEAD BAZOOKA® V2

BB06L2 

- Volume: 6L
- Max. pressure: 145 PSI / 10 bar
- Dimensions: 584 x 178 x 305 mm
- Net Weight: 7.7 kg



GAITHER'S BEAD BAZOOKA® V2

BB10L2 

- Volume: 10L
- Max. pressure: 145 PSI / 10 bar
- Dimensions: 762 x 178 x 305 mm
- Net Weight: 9.5 kg



GAITHER'S BEAD BAZOOKA® V2

BB14L3 

- Volume: 14L
- Max. pressure: 116 PSI / 8 bar
- Dimensions: 825 x 181 x 400 mm
- Net Weight 6.5 kg



**ONLY
6.5 KG!**

GAITHER'S BEAD BOOSTER®

GB38L3



- Volume: 38L
- Max. pressure: 116 PSI / 8 bar
- 3" Rapid Air Release Valve
- Net Weight 8.5 kg



GAITHER'S BEAD BOOSTER®

GB5MA



- Volume: 19L
- Max. pressure: 116 PSI / 8 bar
- 2" Rapid Air Release Valve
- Net Weight 12.8 kg



GAITHER'S BEAD BOOSTER®

101BS



- Volume: 19L
- Max. pressure: 116 PSI / 8 bar
- 1.5" Rapid Air Release Valve
- Net Weight 13 kg



GIVE YOUR OLD TANK A SECOND LIFE

Upgrade from a manual ball valve to the most powerful push-button inflation valve.

GAITHER'S RAPID AIR RELEASE VALVES®

12941R

- 1.5" RAR Valve
- N.W.: 2.7 kg



GAITHER'S RAPID AIR RELEASE VALVES®

12942R

- 2" RAR Valve
- N.W.: 2.9 kg



BEAD BAZOOKA® SPARE PARTS & ACCESSORIES

GAITHER'S

BBVRK

Lets users replace the piston and valve of their BB03L2, BB06L2, BB10L2, BB12L & GB38L.



GAITHER'S

BBCLUSTER


Featuring a pressure gauge, CE-approved safety valve, three 1/4" female ports, one 1/4" male port, and a 1/4" PT intake connection.



GAITHER'S

BBH01

Protects your Bead Bazooka while allowing pressurization on the stand with a clear view of the pressure gauge.



THE INDUSTRY STANDARD IN TRUCK TIRE CHANGING

GAITHER'S BEAD SAVER SYSTEM®

12880E

The famous all-in-one solution for (de)mounting tubeless truck tires (17.5" - 24.5"), including super singles and low profiles. Cost-effective and easy to use, thanks to the smart leverage design. Recommended by Michelin training centers.

OFTEN COPIED
NEVER EQUALLED

WATCH DEMO



TOOL
FOR
LIFE



GAITHER'S (DE)MOUNT BAR

12045

■ N.W.: 3.6 kg



GAITHER'S (DE)MOUNT TOOL

J-1 TOOL

- Suitable rim sizes: 17.5"–24.5"
- Maximum rim width: 315
- N.W.: 9 kg



THE SMARTER WAY TO BREAK TRUCK TIRE BEADS

GAITHER'S SLIDE HAMMER™ BEAD BREAKER

12026B


■ N.W.: 13 kg



GAITHER'S BEAD VICE™

BV-04

Engineered for EVA wheels, the Bead Vice™ quickly and safely breaks the bead past the wheel hump without damaging the tire. Includes one gallon of Super Slick'em™ and an applicator bottle.



GAITHER'S ADAPTER BRIDGE™

BVA-03

The adapter bridge for the BV-04 allows the bead to be broken past the hump from either side of the wheel.



GAITHER'S PNEUMATIC BEAD BREAKER

GTABB-01

Patented pneumatic bead breaker for agricultural and most truck tires. Delivers fast, lightweight, and effortless bead breaking with proper bead lubrication.

Includes air regulator and blow case.
Requires 6 bar and 115 L/min.



WATCH DEMO



BEADKEEPERS® AND SPECIALTY ITEMS

GAITHER'S BEADKEEPER

12894

Heavy-duty bead keeper for easier tire mounting.



GAITHER'S BEADKEEPER

12894C

Heavy-duty bead keeper with rubber coating to prevent rim scratches.



GAITHER'S BEADKEEPER

12894CW

Wide-claw bead keeper with rubber coating to prevent rim scratches.



GAITHER'S TIRESREADER

GTS-01

Designed to spread tire beads quickly for fast, hassle-free tire repairs.



GAITHER'S BEADKEEPER

GT10-3

Spring-Type for easier tire mounting.



3RD HAND
BEAD KEEPER

GAITHER'S O-LINE-ER

GT0-01TB

Patented tool designed to make it easier and safer to install wheels back on their studs.







BECAUSE **BEADS** DON'T ASK NICELY

GAITHER'S TIRE HAMMER

GTH-01

The Gaither Tire Hammer features a 4.5 kg hammer head and an overall 810 mm length, providing the leverage and impact needed to break even the toughest beads quickly and efficiently.

An integrated tire lifting hook makes it easy to lift and position tires upright, reducing physical strain and making tire handling safer and more convenient.

■ N.W.: 13 kg



NEW

POWERFUL ILLUMINATION FOR EVERY INSPECTION

GAITHER'S TIRE INSPECTION LIGHT

GTPL-308

The LED Pro Light combines an 800-lumen front work light with a 100-lumen top light, making it ideal for inspecting tire treads, wheel wells, brake assemblies and other confined spaces.

The 360° rotating head and 180° heavy-duty magnetic base allow you to position the light at virtually any angle while keeping both hands free for the job.

Powered by a 3.7 V / 4,000 mAh Li-Ion battery, the light provides up to 3.5 hours of continuous runtime and recharges quickly via USB Type-C. A built-in smart battery indicator keeps you informed of the remaining charge, while the ergonomic anti-slip grip ensures a secure and comfortable hold.



SEE
EVERY
DETAIL

NEW



GAITHER'S DIGITAL TIRE PRESSURE GAUGE & INFLATOR

GTGD50/51

Features a durable design with a rubber boot for comfort. The GTGD50 comes with a dual-angle chuck and 500 mm hose, while the GTGD51 includes a single clip-on chuck and 1800 mm hose.



GAITHER'S DIGITAL FORCE WHEEL WEIGHT TOOL

GTF-01

With a removal hook on one end and magnets for easy application on the other, this 2-in-1 tool is the ultimate solution for attaching and removing wheel weights.



WATCH DEMO



GAITHER'S TIRE JACK

GTJ-01

Slides under the tire to roll it into place, saving time, effort, and user's backs.



GAITHER'S TIRE JACK ROLLER PLATE

GTRP-01

Accessory that allows for easier alignment.



**GAITHER'S TIRE
MOUNTING PASTE**

12960

Black • 5 kg



**GAITHER'S TIRE
MOUNTING PASTE**

12965

White • 5 kg



**GAITHER'S TIRE
MOUNTING PASTE**

12966

Transparent • 5 kg



**GAITHER'S TIRE
MOUNTING PASTE**

12967

Transparent • 3 kg



GAITHER'S SLICK'EM

12904


Non-water-based
lubricant that won't
rust or freeze.



GAITHER'S TIRE MOP

GTM

Applies lubricant
evenly to the bead
and wheel flange.



THE COMPLETE *MANUAL* *TIRE CHANGING* SOLUTION

GAITHER'S MANUAL TIRE CHANGER

12772

The 12772 combines a heavy-duty, portable, power-free design with an improved clamping system for fast, reliable tire service. Its robust frame and mounting /demounting lever handle a wide variety of tires, while the included adapter ensures precise clamping and centering of wheels from 4" to 21".



GAITHER'S **GT** SERIES

From powerful air service jacks to our advanced electrohydraulic jack, the range offers high lifting capacities, efficient operation, and rugged construction to deliver strength, control, and reliability.

GAITHER'S 1-STAGE JACK

GT3031

Capacity:

30 t

Min. H. - Max. H.:

170 - 256 mm*

*Included extensions:

45 & 75 mm

Dimensions:

585 x 283 x 1,380 mm

Weight:

50 kg

CE UK
CA



GAITHER'S 3-STAGE JACK

GT6033

Capacity:

60 t / 40 t / 20 t

Min. H. - Max. H.:

150 - 327 mm*

*Included extensions:

45 & 75 mm

Dimensions:

975 x 285 x 1,370 mm

Weight:

67 kg

CE UK
CA



GAITHER'S 3-STAGE JACK

GT4033

Capacity:

40 t / 22 t / 10 t

Min. H. - Max. H.:

125 - 274 mm*

*Included extensions:

45 & 75 mm

Dimensions:

526 x 263 x 1,290 mm

Weight:

41 kg

CE UK
CA



GAITHER'S 1-STAGE JACK

GT3532AG

Capacity:

35 t

Min. H. - Max. H.:

360 - 627 mm*

*Included extensions:

45 & 100 mm

Dimensions:

840 x 294 x 1,370 mm

Weight:

93 kg

CE UK
CA



GAITHER'S 2-STAGE JACK

GT4533

Capacity:

45 t / 20 t

Min. H. - Max. H.:

150 - 279 mm*

**Included extensions:*


100 & 75 mm

Dimensions:

585 x 283 x 1,380 mm

Weight:

52 kg



GAITHER'S 3-STAGE JACK

GT4534

Capacity:

45 t / 20 t / 10 t

Min. H. - Max. H.:

125 - 276 mm*

**Included extensions:*

45 & 120 mm

Dimensions:

835 x 295 x 1,380 mm

Weight:

52 kg



GAITHER'S 2-STAGE **ELECTRO ⚡ HYDRAULIC** JACK

GT4220E

Capacity:

42 t / 20 t

Min. H. - Max. H.:

150 - 300 mm*

**Included extensions:*

45 & 75 mm

Dimensions:

590 x 270 x 1,500 mm

Weight:

45 kg

Compatible batteries:

Makita up to 6Ah 18V

with adapter Y491812:

Milwaukee up to 2Ah 18V

DeWalt up to 2Ah 18V



ABOUT US

Gaither Tool Co. founded in 1988, is an international organization committed to serving the tire and trucking industry. It invents and manufactures convenient tools and systems needed to service and maintain tires and wheel assemblies.

Gaither continually invests in research and development to bring to its customers the most effective tools in the business. It strives to improve efficiency and reduce costs for customers all over the world working in tire shops, truck maintenance shops, car makers and their networks as well as on-the-road tire service providers. Bandag, Euromaster/Michelin, Bridgestone's First Stop, The United States Armed Forces... just to name a few.

Today, Gaither supplies products to customers in over 100 countries, selling through exclusive and nonexclusive distributors. Gaither Tool Co. is headquartered in Jacksonville, Illinois, U.S.A. Gaither Europe BV, founded in 1997, operates out of the Netherlands and serves the European and Middle Eastern markets.

Gaither's manufacturing plant and warehousing for International distribution is located in Taichung, Taiwan.

With strategically placed locations in The United States, Taiwan and The Netherlands, we are able to serve you with our innovative and patented products no matter where you are located.



GAITHER EUROPE BV

Rechtzaad 6 4703 RC Roosendaal The Netherlands

T +31 (0)165 554475 **E** info@gaithereurope.com



CHANGING THE WAY THE WORLD CHANGES TIRES

GAITHEREUROPE.COM

